

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	20	(pressure or compress\$3 or stress or strain or load) near15 (temerature or thermistor or thermocouple) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3) near30 (pippett\$3 or cannula)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 11:44
L11	150	(pressure or compress\$3 or stress or strain or load) near15 (temerature or thermistor or thermocouple) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3) and (pippett\$3 or cannula)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 11:50
L12	31	(pressure or compress\$3 or stress or strain or load) near15 (temerature or thermistor or thermocouple) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3) same (pippett\$3 or cannula)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 12:05
L13	4	(temerature or thermistor or thermocouple) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3) near15 pipett\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 12:06
L14	4	(temerature or thermistor or thermocouple) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3) near30 pipett\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 12:08
L15	21	(temerature or thermistor or thermocouple) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3) same pipett\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 12:09

L16	5	(detect\$3 or measure\$3 or measurement) near5 (pressure or compress\$3 or stress or strain or load) near15 (temperature or thermistor or thermocouple) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3) near15 (shaft or spindle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 12:15
L19	0	(detect\$3 or measur\$3 or measurement) near5 (pressure or compress\$3 or stress or strain or load) near15 (temperature or thermistor or thermocouple) same (pipett \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 12:17
L20	5862	(transceiver or transmit\$3) near15 ((micro near3 (process\$3 or comput\$3)) or microprocess\$3 or computer or microcomput \$3) near7 communicat\$3 near15 (control\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 12:21
L22	27	(transceiver or transmit\$3) near15 ((micro near3 (process\$3 or comput\$3)) or microprocess\$3 or computer or microcomput \$3) near7 communicat\$3 near15 (control\$3) and (pipett\$3 or aspirat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 12:21
L23	21	(transceiver or transmit\$3) near15 ((micro near3 (process\$3 or comput\$3)) or microprocess\$3 or computer or microcomput \$3) near7 communicat\$3 near15 (control\$3) and (cannula or sampl\$3 near3 (fluid or liquid) near3 needle) or aspirat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 12:31
S1	10	((("4,779,467") or ("4,780,833") or ("4,790,176") or ("4,976,161") or ("5,456,879") or ("5,983,733") or ("5,998,218") or ("6,170,343") or ("6,254,832") or ("6,553,824"))).PN.	US-PGPUB; USPAT	OR	OFF	2008/10/02 12:50

S2	830341	(pressure or compress\$3 or stress or strain or load) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 13:37
S3	1177	(pipett\$5 or canula) near15 piston	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 13:39
S4	116	S2 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 13:40
S5	8208	(comparator or comparison or verify or verification or confirm or confirmat\$4) near3 (volume or volumetric \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 13:45
S6	2	S4 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 13:45
S7	18310	(comparator or comparison or verify or verification or confirm or confirmat\$4) near7 (volume or volumetric \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 13:47
S12	4297	(pipett\$5 or cannula) near15 (piston or plunger)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 14:14
S13	29	S7 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 14:15

S14	976311	(pressure or compress\$3 or stress or strain or load) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3 or measur\$3 or measurement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 14:18
S15	10	S13 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 14:18
S16	14043	(calculat\$4 or estimat\$3 or count\$3 or (figur\$3 near3 out) or rely or judg\$3 or process\$3 or microprocess\$3 or (micro near3 process\$3)) near7 (volume or volumetric\$4) near15 (pressure or compressure or stress or strain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 15:08
S17	443	S12 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 15:09
S18	71176	(predetermin\$3 or reference or standard or predestin\$3 or foreordain or preestablish\$3) near3 (volume or volumetric\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 15:14
S19	14043	(calculat\$4 or estimat\$3 or count\$3 or (figur\$3 near3 out) or rely or judg\$3 or process\$3 or microprocess\$3 or (micro near3 process\$3)) near7 (volume or volumetric\$4) near15 (pressure or compressure or stress or strain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 10:12
S20	71176	(predetermin\$3 or reference or standard or predestin\$3 or foreordain or preestablish\$3) near3 (volume or volumetric\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 10:12

S21	1815	S19 and S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 10:12
S22	976311	(pressure or compress\$3 or stress or strain or load) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3 or measur\$3 or measurement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 10:13
S23	1423	S22 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 10:13
S24	4297	(pipett\$5 or cannula) near15 (piston or plunger)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 10:14
S25	8	S23 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 10:14
S26	10	("3719087" "4459267" "5013529" "5035150" "5158748" "5287733" "5325867" "5853665" "6158269" "6551557"). PN. OR ("6758106"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/03 10:21
S27	150023	(pressure or compress\$3 or stress or strain or load) near15 temperature near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3 or measur\$3 or measurement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 10:30
S28	35	S24 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 10:30

S29	973	(temperature) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3 or measur\$3 or measurement) near30 (cannula or pipett\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 10:52
S30	1023	(temperature) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3 or measur\$3 or measurement or monitor \$3) near30 (cannula or pipett\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 10:53
S31	981	(temperature) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3 or measur\$3 or measurement or monitor \$3) near15 (cannula or pipett\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 10:53
S32	869	S31 and (volume or volumetric\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 10:54
S33	28	S31 same (volume or volumetric\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 10:54
S34	7	(temperature) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3 or measur\$3 or measurement or monitor \$3) near15 (cannula or pipett\$3) near3 (point or shaft or spindle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 10:59
S35	8	(temperature) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3 or measur\$3 or measurement or monitor \$3) near15 (cannula or pipett\$3 or micropipett\$3 or (micro near3 pipett\$3)) near3 (point or shaft or spindle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 11:00

S36	46	(pressure or compress\$3 or stress or strain or load) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3 or measur\$3 or measurement or monitor \$3) near15 (cannula or pipett\$3 or micropipett\$3 or (micro near3 pipett\$3)) near3 (point or shaft or spindle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 11:06
S37	23	(comparator or comparison or verify or verification or confirm or confirmat\$4) near7 (volume or volumetric \$4) near30 (cannula or pipett\$3 or micropipett\$3 or (micro near3 pipett\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 11:25
S38	890	(comparator or comparison or verify or verification or confirm or confirmat\$4) near7 (volume or volumetric \$4) and (cannula or pipett \$3 or micropipett\$3 or (micro near3 pipett\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 11:34
S39	17481	(during or while or over or through or throughout) near3 aspirat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 11:42
S40	307	(pressure or compress\$3 or stress or strain or load) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3 or measur\$3 or measurement or monitor \$3) near15 (during or while or over or through or throughout) near3 aspirat \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 11:42
S41	16	S38 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 11:43

S42	41	(comparator or comparison or verify or verification or confirm or confirmat\$4) near7 (volume or volumetric\$4) and (cannula or pipett\$3 or micropipett\$3 or (micro near3 pipett\$3)) and (wireless or transceiv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 11:56
S43	1	((("2003073931") or ("6,429,016")).PN.	US-PGPUB; USPAT	OR	OFF	2008/10/03 12:01
S44	2	((("20030073931") or ("6,429,016")).PN.	US-PGPUB; USPAT	OR	OFF	2008/10/03 12:02
S45	6	((("5,108,703") or ("5,909,674") or ("6,675,070") or ("6,477,479") or ("6,535,822") or ("5,389,341")).PN.	US-PGPUB; USPAT	OR	OFF	2008/10/03 12:03
S46	0	S45 and (comparator or comparison or verify or verification or confirm or confirmat\$4) near7 (volume or volumetric\$4) and (cannula or pipett\$3 or micropipett\$3 or (micro near3 pipett\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 12:04
S47	20	(comparator or comparison or verify or verification or confirm or confirmat\$4) near7 (volume or volumetric\$4) and (cannula or pipett\$3 or micropipett\$3 or (micro near3 pipett\$3)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 12:04
S48	0	((comparator or comparison or verify or verification or confirm or confirmat\$4) near7 (volume or volumetric\$4) and (cannula or pipett\$3 or micropipett\$3 or (micro near3 pipett\$3))).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 12:05
S49	284	((comparator or comparison or verify or verification or confirm or confirmat\$4) near7 (volume or volumetric\$4)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 12:05

S50	890	((comparator or comparison or verify or verification or confirm or confirmat\$4) near7 (volume or volumetric\$4)) and (cannula or pipett\$3 or micropipett\$3 or (micro near3 pipett\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 12:35
S51	736	S50 and (pressure or compress\$3 or stress or strain or load)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 12:38
S52	79	S51 and (during or while or over or through or throughout) near3 aspirat \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 12:48
S53	341	(73/864.01).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/10/03 12:57
S54	292	(73/864.11).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/10/03 12:57
S55	143	(73/864.13).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/10/03 12:57
S57	91	(73/1.74).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/03 12:58
S58	26	(73/1.74).CCLS.	US-PGPUB	OR	OFF	2008/10/03 12:58
S59	31	S57 and (pressure or compress\$3 or stress or strain or load) near3 (cell or detect\$3 or sens\$3 or gage or gauge or transducer or indicat\$3 or measur\$3 or measurement or monitor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 12:59
S63	8	(calculat\$4 or estimat\$3 or count\$3 or (figur\$3 near3 out) or rely or judg\$3 or process\$3 or microprocess \$3 or (micro near3 process \$3)) near7 (displac\$3 or displacement) near3 (volume or volumetric\$4) near15 (cannula or pipett \$3 or micropipett\$3 or (micro near3 pipett\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 14:18

S64	3281	(aspirat\$3 or aspiration\$1 or draw\$3 or withdraw\$3) near3 (fluid or liquid) near15 (cannula or pipett \$3 or micropipett\$3 or (micro near3 pipett\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 14:27
S65	33725	(comparator or comparison or verify or verification or confirm or confirmat\$4) near15 (volume or volumetric\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 14:27
S66	89	S64 and S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 14:27
S67	40	S64 and (comparator or comparison or verify or verification or confirm or confirmat\$4) near5 (module or mean\$1 or apparatus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 14:36
S68	1	(aspirat\$3 or aspiration\$1 or draw\$3 or withdraw\$3) near3 (fluid or liquid) near15 (cannula or pipett \$3 or micropipett\$3 or (micro near3 pipett\$3)) and (electromechanical\$2 near3 transducer) near30 (pressure or stress or stain or compression or load)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 15:00
S69	5	(aspirat\$3 or aspiration\$1 or draw\$3 or withdraw\$3) near3 (fluid or liquid) near15 (cannula or pipett \$3 or micropipett\$3 or (micro near3 pipett\$3)) and (electromechanical\$2 near3 transducer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 15:00
S70	131	(aspirat\$3 or aspiration\$1 or draw\$3 or withdraw\$3) near3 (fluid or liquid) near15 (cannula or pipett \$3 or micropipett\$3 or (micro near3 pipett\$3)) and (transducer near30 (pressure or stress or stain or compression or load))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 15:02

S71	87	(aspirat\$3 or aspiration\$1 or draw\$3 or withdraw\$3) near3 (fluid or liquid) near15 (cannula or pipett\$3 or micropipett\$3 or (micro near3 pipett\$3)) and (transducer near30 (pressure or stress or stain or compression or load)) and (volume\$1 or volumetric\$4 or bulk or amount) near3 (fluid or liquid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 15:13
S72	455	(cannula or pipett\$3 or micropipett\$3 or (micro near3 pipett\$3)) with (receiver or transceiv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 15:55
S74	6	(cannula or pipett\$3 or micropipett\$3 or (micro near3 pipett\$3)) with (receiver or transceiv\$3) near3 (data or communicat\$3) near15 (microprocess\$3 or process\$3 or computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 15:59
S75	2711	air near3 pump near3 piston	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 16:40
S76	9	air near3 pump near3 piston same pipett\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 16:40
S77	1	("5750881").PN.	US-PGPUB; USPAT	OR	OFF	2008/10/06 09:23
S78	5	tranceiver near15 ((micro near3 process\$3) or microprocess\$3 or computer) near7 communicat\$3 near3 (control\$3 or computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 09:44
S79	904	(tranceiver or transmitter) near15 ((micro near3 process\$3) or microprocess\$3 or computer) near7 communicat\$3 near3 control\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 11:02

S80	484	(tranceiver or transmitter) near7 ((micro near3 process\$3) or microprocess\$3 or computer) near7 communicat\$3 near3 control\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 11:03
S81	38	S79 and (pipett\$3 or cannula or dispens\$3 or aspirat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 11:08

10/6/08 12:32:46 PM

C:\Documents and Settings\TBellamy\My Documents\EAST\workspaces\10588553.wsp